

Recipient's Name:

FOOT TRYKES

1410 FOOT TRYKE – (10" wheels, fixed drive) **50-FC-0100** Arm Length 12-20", Leg Length 15-21"

NEW: Standard with Rear Steering (can convert to push bar) and safety flag

Option #1 – Standard Seating System: Blue Bucket Seat

Option #2 – Alternate Seating System: Snappy Seat System

Snappy Seat Accessories: Notched Seat Bottom Cushion* Laterals Head Rest
 Notched Wide Bottom Cushion* XL Seat Back**

Option #3 – Alternate Seating System: OLD Blue Bucket Seat**

*(Less expensive option for very small riders. **Cannot** be used with an H-Harness or Separator Cube.)*

1410 Accessories: Separator Cube H-Harness - 11.5"
 Heavy-Duty Push Bar – for use with notched seats

1412 ProSeries FOOT TRYKE (12" wheels, fixed drive) – **50-FC-1412** Arm Length 16-24", Leg Length 23-28"

NEW: Standard with Rear Steering (can convert to push bar), Medium Pommel Saddle Seat and safety flag

Option #1 – Standard Seating System: Medium Pommel Saddle Seat/1600 Simple Seatback

Seat Bottom Alternates: Bench Seat Large Pommel Saddle Seat Saddle Seat Skinny Saddle Seat (8.5x6")

Option #2 – Alternate Seating System: 1400 ProSeries Seat Back System (push grip, backpad, med. pommel & 2 laterals)

Seat Bottom Alternates: Bench Seat Large Pommel Saddle Seat Saddle Seat Skinny Saddle Seat (8.5x6")

Trunk Support Options: ProSeries Full Padded Back ProSeries Head Rest ProSeries Lumbar Pad

Recumbent 10 Degree Seat Post

Option #3 – Alternate Seating System: Gray Bucket Seat

Option #4 – Alternate Seating System: Snappy Seat System *(too small for many 1412 riders; check seat measurements.)*

Snappy Seat Accessories: Notched Seat Bottom Cushion* Laterals Head Rest
 Notched Wide Bottom Cushion* XL Seat Back** Separator Cube

1412 Accessories: Heavy-Duty Push Bar Pedal Toe Pulley H-Harness - 11.5"
 Solid Rear Tires Front Hand Brake Kit (cannot be used with Rear Steering)
 ½" Expanding Pedals Hi-Rise Handlebars: 5" (BMX) 8" ½" Exercise Pedals
 Knee Separator: 2" 5" 9" Extender Tube

*cannot be used in conjunction with rear steering. **cannot be used in conjunction with an h-harness, head rest or laterals.

NEW! High Functioning Set Up (Both Options Allow Coasting) Can be used with 1416, 1420, 1420XL

(Rider must have the ability to steer, apply brake and make a complete pedal rotation on their own.)

Comes Standard with Pommel Saddle Seat (1412 – M; 1416 & 1420 – L), 1600 Simple Seat Back, Hi-Rise Handlebars, Exercise pedals and safety flag. MUST choose Option 1 or 2.

Choose Tryke: 1416 1420 1420XL

Option #1: (switch to existing freewheel hub and add Disk Brake Kit - *necessary* for safety) Adds the ability to coast

Dual Hand Brake (Option 1 only)

Option #2: (3-Speed Kit and coaster brake) Adds the ability to coast and switch gears for hilly terrain – *Replaces the 1600 Series*

Standard Seating System (for either option): Pommel Saddle Seat/1600 Simple Seat Back

Seat Bottom Alternates: Bench Seat Tractor Seat with bracket Regular Saddle (11x9")

Medium Saddle (10.5x10") Large Saddle (13x12")

Adaptive Accessories: ½" Expanding Pedals Telescoping Loop Handlebars 1400 Seat Back Set (w/ laterals)

Recipient's Name:

FOOT TRYKES

<input type="checkbox"/> 1416 ProSeries FOOT TRYKE (16" wheels, fixed or freewheel drive) – 50-FC-1416 Arm Length 16-24", Leg Length 26-32" NEW: Standard with Medium Pommel Saddle Seat and safety flag
<input type="checkbox"/> Option #1 – Standard Seating System: 1400 ProSeries Seat Back System (push grip, backpad, med. pommel & 2 laterals) Seat Bottom Alternates: <input type="checkbox"/> Bench Seat <input type="checkbox"/> Tractor Seat with bracket <input type="checkbox"/> Large Pommel Saddle Seat <input type="checkbox"/> Saddle Seat Trunk Support Options: <input type="checkbox"/> ProSeries Full Padded Back <input type="checkbox"/> ProSeries Head Rest <input type="checkbox"/> ProSeries Lumbar Pad <input type="checkbox"/> Recumbent 10 Degree Seat Post
<input type="checkbox"/> Option #2 – Alternate Seating System: Medium Pommel Saddle Seat/1600 Simple Seat Back Seat Bottom Alternates: <input type="checkbox"/> Bench Seat <input type="checkbox"/> Tractor Seat with bracket <input type="checkbox"/> Large Pommel Saddle Seat <input type="checkbox"/> Saddle Seat
<input type="checkbox"/> Option #3 – Alternate Seating System: Gray Bucket Seat
1416 Accessories: <input type="checkbox"/> Heavy-Duty Push Bar <input type="checkbox"/> Pedal Toe Pulley <input type="checkbox"/> H-Harness - 11.5" <input type="checkbox"/> Rear Steering Kit <input type="checkbox"/> Calf & Leg Supports <input type="checkbox"/> ½" Exercise Pedals <input type="checkbox"/> Hi-Rise Handlebars: <input type="checkbox"/> 8" <input type="checkbox"/> 12" <input type="checkbox"/> Solid Tires <input type="checkbox"/> Knee Separator: <input type="checkbox"/> 2" <input type="checkbox"/> 5" <input type="checkbox"/> 9" extender tube

<input type="checkbox"/> 1420 ProSeries FOOT TRYKE (20" wheels, fixed or freewheel drive) – 50-FC-1420 Arm Length 20-30", Leg Length 29-35" NEW: Standard with Large Pommel Saddle Seat and safety flag
<input type="checkbox"/> Option #1 – Standard Seating System: 1400 ProSeries Seat Back System (push grip, backpad, large pommel & 2 laterals) Seat Bottom Alternates: <input type="checkbox"/> Bench Seat <input type="checkbox"/> Tractor Seat w/ bracket <input type="checkbox"/> Medium Pommel Saddle Seat <input type="checkbox"/> Saddle Seat Trunk Support Options: <input type="checkbox"/> ProSeries Head Rest <input type="checkbox"/> ProSeries Full Padded Back <input type="checkbox"/> ProSeries Lumbar Pad <input type="checkbox"/> Recumbent 10 Degree Seat Post
<input type="checkbox"/> Option #2 – Alternate Seating System: Large Pommel Saddle Seat/1600 Simple Seatback Seat Bottom Alternates: <input type="checkbox"/> Bench Seat <input type="checkbox"/> Tractor Seat w/ bracket <input type="checkbox"/> Medium Pommel Saddle Seat <input type="checkbox"/> Saddle Seat
<input type="checkbox"/> Option #3 – Alternate Seating System: Gray Bucket Seat
1420 Accessories: <input type="checkbox"/> Heavy-Duty Push Bar <input type="checkbox"/> Pedal Toe Pulley <input type="checkbox"/> H-Harness - 11.5" <input type="checkbox"/> Rear Steering Kit <input type="checkbox"/> Calf & Leg Supports <input type="checkbox"/> ½" Exercise Pedals <input type="checkbox"/> 12" Hi-Rise Handlebars <input type="checkbox"/> Solid Tires <input type="checkbox"/> Knee Separator: <input type="checkbox"/> 2" <input type="checkbox"/> 5" <input type="checkbox"/> 9" extender tube

<input type="checkbox"/> 1420XL ProSeries FOOT TRYKE (20" wheels, fixed/freewheel drive) – 50-FC-1420-XL Arm Lgth 22-34", Leg Lgth 30-45" NEW: Standard with Large Pommel Saddle Seat and safety flag
<input type="checkbox"/> Option #1 – Standard Seating System: 1400 ProSeries Seat Back System (push grip, backpad, large pommel & 2 laterals) Seat Bottom Alternates: <input type="checkbox"/> Bench Seat <input type="checkbox"/> Tractor Seat w/ bracket <input type="checkbox"/> Medium Pommel Saddle Seat <input type="checkbox"/> Saddle Seat Trunk Support Options: <input type="checkbox"/> ProSeries Head Rest <input type="checkbox"/> ProSeries Full Padded Back <input type="checkbox"/> ProSeries Lumbar Pad <input type="checkbox"/> Recumbent 10 Degree Seat Post
<input type="checkbox"/> Option #2 – Alternate Seating System: Large Pommel Saddle Seat/1600 Simple Seat Back Seat Bottom Alternates: <input type="checkbox"/> Bench Seat <input type="checkbox"/> Tractor Seat w/ bracket <input type="checkbox"/> Medium Pommel Saddle Seat <input type="checkbox"/> Saddle Seat
<input type="checkbox"/> Option #3 – Alternate Seating System: Large Wheelchair Seat Wheelchair Seat Accessories: <input type="checkbox"/> Wheelchair Seat Bar Ends <input type="checkbox"/> Swing Away Arms
1420 XL Accessories: <input type="checkbox"/> Heavy-Duty Push Bar <input type="checkbox"/> Toe Pedal Pulley <input type="checkbox"/> H-Harness - 11.5" <input type="checkbox"/> Rear Steering Kit <input type="checkbox"/> Calf & Leg Supports <input type="checkbox"/> ½" Exercise Pedals <input type="checkbox"/> Hi-Rise Handlebars <input type="checkbox"/> 12" <input type="checkbox"/> 23" <input type="checkbox"/> Knee Separator: <input type="checkbox"/> 2" <input type="checkbox"/> 5" <input type="checkbox"/> 9" extender tube

Recipient's Name: _____

FOOT TRYKES

JT-2000 FOOT TRYKE (Recumbent 14-Speed) – **50-FC-2000** (advanced riders only) Arm Length 20-28", Leg Length 30-41"

JT-2000 Accessories: Exercise Pedals XL Exercise Pedals Expanding Pedals Digital Speedometer
 Dual Hand Brake Toe Clips Basket Rearview Mirror

JT-2300-USS FOOT TRYKE (Recumbent 14-Speed with **Under Seat Steering**) – **50-FC-2300-USS** (advanced riders only)

Arm Length 20-28", Leg Length 30-41"

JT-2300-USS Accessories: Exercise Pedals XL Exercise Pedals Expanding Pedals Digital Speedometer
 Dual Hand Brake Toe Clips Basket Rearview Mirror

TP-3000 TADPOLE FOOT TRYKE (Recumbent 21-Speed) – **50-FC-3000** (advanced riders only) Arm Length 17-29",

Leg Length 36-45"

Tadpole Accessories: Exercise Pedals XL Exercise Pedals Expanding Pedals
 Dual Hand Brake Toe Clips Rearview Mirror

Therapist Assembly Notes or Comments (if any):

Recipient's Name:

HAND-FOOT TRYKES

AM-10 HAND-FOOT TRYKE (10" wheels & 2.5" crank arms) **50-HFC-0105** Arm length 13-17", leg length 15-21"

New: Now standard with Rear Steering (converts to push bar by inserting pin) and safety flag.

Option #1 – Standard Seating System: Blue Bucket Seat

Option #2 – Upgraded Seating System: Snappy Seat System

Snappy Seat Accessories: Notched Seat Bottom Cushion* Laterals Head Rest

Notched Wide Bottom Cushion* XL Seat Back**

AM-10 Accessories:

AM Toe Pulley

H-Harness - 11.5"

Heavy-Duty Push Bar (*notched seats*) Vertical Hand Grips Separator Cube

AM-12Small HAND-FOOT TRYKE (12" wheels & 3" crank arms) **50-HFC-0110** Arm length 15-20", leg length 19-24"

New: Now standard with Saddle Seat, Rear Steering (converts to push bar by inserting pin) and safety flag.

Option #1 – Standard Seating System: Saddle Seat & 1600 Simple Seat Back

Option #2 – Upgraded Seating System: Snappy Seat System

Snappy Seat Accessories: Notched Seat Bottom Cushion* Laterals Head Rest

Notched Wide Bottom Cushion* XL Seat Back**

Option #3 – Upgraded Seating System: Blue Bucket Seat

AM-12S Accessories:

AM Pedal Toe Pulley

H-Harness - 11.5"

Heavy-Duty Push Bar (*notched seats*) Vertical Hand Grips Separator Cube

9/16" Exercise pedals Solid Rear Tires

*cannot be used in conjunction with rear steering. **cannot be used in conjunction with an h-harness, head rest or laterals.

AM-12 HAND-FOOT TRYKE (12" wheels & 4" crank arms) **50-HFC-0210** Arm length 14-23", leg length 21-29"

New: Now standard with Rear Steering (converts to push bar by inserting pin) and safety flag.

Option #1 – Standard Seating System: Saddle Seat/1600 Simple Seat Back

Seat Bottom Alternates: Bench Seat Pommel Saddle Seat Medium (11.5x10") Large(14x13")

Option #2 – Upgraded Seating System: ProSeries Seat Back System (push grip, backpad, saddle seat & 2 laterals)

Seat Bottom Alternates: Bench Seat Pommel Saddle Seat Medium (11.5x10") Large(14x13")

Trunk Support Upgrades: ProSeries Full Padded Back ProSeries Head Rest ProSeries Lumbar Pad

Option #3 – Upgraded Seating System: Gray Bucket Seat

Option #4 – Upgraded Seating System: Snappy Seat System (*too small for many AM-12 riders; check seat measurements.*)

Snappy Seat Accessories: Notched Seat Bottom Cushion* Laterals Head Rest

Notched Wide Bottom Cushion* XL Seat Back** Separator Cube

AM-12 Accessories:

AM Pedal Toe Pulley

H-Harness - 11.5"

Knee Separator: 2" 5"

9" Extender Tube

Vertical Hand Grips

9/16" Exercise pedals

Solid Rear Tires

Please mail, email or fax completed form to your local chapter or AMBUCS Resource Center

Mail: P.O. Box 5127, High Point, NC 27262 Email: wishlist@ambucs.org Fax: 336.852.6830

This form, Request & Liability Waiver Form and Assessment Form must be received before placement is considered.

(800) 838-1845

ambucs.org

Recipient's Name:

AM-16 HAND-FOOT TRYKE (16" wheels & 5" crank arms) **50-HFC-0411** Arm length 18-27", leg length 24-36"
New: Now standard with Rear Steering (converts to push bar by inserting pin) and safety flag.

Option #1 – Standard Seating System: Saddle Seat/1600 Simple Seat Back
Seat Bottom Alternates: Bench Seat Tractor Seat Pommel Saddle Seat Medium (11.5x10") Large(14x13")

Option #2 – Upgraded Seating System: 1400 ProSeries Seat Back System (push grip, backpad, saddle seat & 2 laterals)
Seat Bottom Upgrades: Bench Seat Tractor Seat Pommel Saddle Seat Medium (11.5x10") Large(14x13")
Trunk Support Upgrades: ProSeries Full Padded Back ProSeries Head Rest ProSeries Lumbar Pad

Option #3 – Upgraded Seating System: Gray Bucket Seat

AM-16 Accessories: AM Pedal Toe Pulley H-Harness - 11.5"
 Knee Separator: 2" 5" 9" Extender Tube XL Exercise pedals
 Solid Rear Tires 9/16" Exercise pedals Vertical Hand Grips

AM-20 HAND-FOOT TRYKE (Recumbent Single Speed) – **50-HFC-0610** Arm length 18-30", leg length 32-46"
Tryke is currently being used ONLY for research.

AM-20 Accessories: Exercise Pedals XL Exercise Pedals Expanding Pedals
 Wheelchair Seat Bar Ends Swing Away Arms Calf & Leg Supports (Expanding pedals)

Therapist Assembly Notes or Comments (if any):

Recipient's Name: _____

HAND TRYKES

<input type="checkbox"/> AM-10 HAND TRYKE (12" wheels, 2.5" crank arms & permanent foot platform) 50-HFC-0105 Arm length 13-17" New: Now standard with Rear Steering (converts to push bar by inserting pin) and safety flag.		
<input type="checkbox"/> Option #1 – Standard Seating System: Blue Bucket Seat		
<input type="checkbox"/> Option #2 – Upgraded Seating System: Snappy Seat System Snappy Seat Accessories: <input type="checkbox"/> Notched Seat Bottom Cushion* <input type="checkbox"/> Laterals <input type="checkbox"/> Head Rest <input type="checkbox"/> Notched Wide Bottom Cushion* <input type="checkbox"/> XL Seat Back**		
AM-10 Accessories:	<input type="checkbox"/> Vertical Hand Grips <input type="checkbox"/> H-Harness - 11.5"	<input type="checkbox"/> Heavy Duty Push Bar (<i>notched seats</i>) <input type="checkbox"/> Separator Cube

<input type="checkbox"/> AM-12Small HAND TRYKE (12" wheels, 3" crank arms & permanent foot platform) 50-HFC-0110 Arm length 15-20" New: Now standard with Saddle Seat, Rear Steering (converts to push bar by inserting pin) and safety flag.		
<input type="checkbox"/> Option #1 – Standard Seating System: Saddle Seat & 1600 Simple Seat Back		
<input type="checkbox"/> Option #2 – Upgraded Seating System: Snappy Seat System Snappy Seat Accessories: <input type="checkbox"/> Notched Seat Bottom Cushion* <input type="checkbox"/> Laterals <input type="checkbox"/> Head Rest <input type="checkbox"/> Notched Wide Bottom Cushion* <input type="checkbox"/> XL Seat Back**		
<input type="checkbox"/> Option #3 – Alternate Seating System: Blue Bucket Seat		
AM-12S Accessories:	<input type="checkbox"/> Vertical Hand Grips <input type="checkbox"/> H-Harness - 11.5"	<input type="checkbox"/> Heavy Duty Push Bar (<i>notched seats</i>) <input type="checkbox"/> Separator Cube

<input type="checkbox"/> AM-12 HAND TRYKE – (12" wheels, 4" crank arms & permanent foot platform) 50-HC-0210 Arm Length 14-23" New: Now standard with Rear Steering (converts to push bar by inserting pin) and safety flag.		
<input type="checkbox"/> Option #1 – Standard Seating System: Saddle Seat/1600 Simple Seat Back Seat Bottom Alternates: <input type="checkbox"/> Bench Seat <input type="checkbox"/> Pommel Saddle Seat <input type="checkbox"/> Medium (11.5x10") <input type="checkbox"/> Large(14x13")		
<input type="checkbox"/> Option #2 – Alternate Seating System: 1400 ProSeries Seat Back System (push grip, backpad, saddle seat & 2 laterals) Seat Bottom Alternates: <input type="checkbox"/> Bench Seat <input type="checkbox"/> Pommel Saddle Seat <input type="checkbox"/> Medium (11.5x10") <input type="checkbox"/> Large(14x13") Trunk Support Options: <input type="checkbox"/> ProSeries Full Padded Back <input type="checkbox"/> ProSeries Head Rest <input type="checkbox"/> ProSeries Lumbar Pad		
<input type="checkbox"/> Option #3 – Alternate Seating System: Gray Bucket Seat		
<input type="checkbox"/> Option #4 – Alternate Seating System: Snappy Seat System Snappy Seat Accessories: <input type="checkbox"/> Notched Seat Bottom Cushion* <input type="checkbox"/> Laterals <input type="checkbox"/> Head Rest <input type="checkbox"/> Notched Wide Bottom Cushion* <input type="checkbox"/> XL Seat Back** <input type="checkbox"/> Separator Cube		
AM-12 Accessories:	<input type="checkbox"/> Vertical Hand Grips <input type="checkbox"/> H-Harness - 11.5"	<input type="checkbox"/> Knee Separator: <input type="checkbox"/> 2" <input type="checkbox"/> 5" <input type="checkbox"/> 9" Extender Tube

*cannot be used in conjunction with rear steering. **cannot be used in conjunction with an h-harness, head rest or laterals.

<input type="checkbox"/> AM-16 HAND TRYKE (16" wheels, 5" crank arms & permanent foot platform) 50-HFC-0411 Arm length 18-27" New: Now standard with Rear Steering (converts to push bar by inserting pin) and safety flag.		
<input type="checkbox"/> Option #1 – Standard Seating System: Saddle Seat/1600 Simple Seat Back Seat Bottom Alternates: <input type="checkbox"/> Bench Seat <input type="checkbox"/> Pommel Saddle Seat <input type="checkbox"/> Medium (11.5x10") <input type="checkbox"/> Large(14x13")		
<input type="checkbox"/> Option #2 – Upgraded Seating System: 1400 ProSeries Seat Back System (push grip, backpad, saddle seat & 2 laterals) Seat Bottom Alternates: <input type="checkbox"/> Bench Seat <input type="checkbox"/> Padded Tractor Seat <input type="checkbox"/> Pommel Saddle Seat <input type="checkbox"/> Medium (11.5x10") <input type="checkbox"/> Large(14x13") Trunk Support Options: <input type="checkbox"/> ProSeries Full Padded Back <input type="checkbox"/> ProSeries Head Rest <input type="checkbox"/> ProSeries Lumbar Pad		
<input type="checkbox"/> Option #3 – Upgraded Seating System: Gray Bucket Seat		
AM-16 Accessories:	<input type="checkbox"/> Vertical Hand Grips <input type="checkbox"/> H-Harness - 11.5"	<input type="checkbox"/> Knee Separator: <input type="checkbox"/> 2" <input type="checkbox"/> 5" <input type="checkbox"/> 9" Extender Tube

Please mail, email or fax completed form to your local chapter or the AMBUCS Resource Center
Mail: P.O. Box 5127, High Point, NC 27262 Email: wishlist@ambucs.org Fax: 336.852.6830
This form, Request Form & Liability Waiver Form and Assessment Form must be received before Amtryke placement is considered.

(800) 838-1845
ambucs.org

Recipient's Name: _____

HAND TRYKES

<input type="checkbox"/> NEW: 1020 "Junior" HAND TRYKE (20" wheels & 3-Speed drive train) 50-HC-1020 Arm length 19-30"
<input type="checkbox"/> Option #1 – Standard Seating: Small Wheelchair Seat (<i>3.5" narrower in width and depth than the Large</i>) Seat Alternates: <input type="checkbox"/> Large Wheelchair Seat
1020 Accessories: <input type="checkbox"/> Wheelchair Seat Bar Ends <input type="checkbox"/> Swing-Away Arms <input type="checkbox"/> Rearview Mirror

<input type="checkbox"/> 1024 HAND TRYKE – (24" wheels & 3-Speed drive train) 50-HC-1024 Arm length 22-26"
<input type="checkbox"/> Option #1 – Standard Seating: Large Wheelchair Seat (<i>3.5" broader in width and depth than the Small</i>) Seat Alternates: <input type="checkbox"/> Small Wheelchair Seat
1024 Accessories: <input type="checkbox"/> Wheelchair Seat Bar Ends <input type="checkbox"/> Swing-Away Arms <input type="checkbox"/> Rearview Mirror

Therapist Assembly Notes or Comments (if any):